



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For m.carriagehouseressort.com | Verdict: Compliant!

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **m.carriagehouseressort.com** as of Thu Apr 28 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

This audit is subjected to the [terms of service](#)

#	Requirement	Relevant	Successes	Failures	Score
1	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
2	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
3	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
4	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
5	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
6	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	3	0	100%

Code snapshots of some successful elements

```
<nav id="top-area-menu" role="navigation" data-acsb-main-menu="true" aria-label="Main Menu"><ul id="top-area-navigation" class="nav-menu styled inline-inside" data-acsb-menu="ul" ><li id="menu-item-859" class="menu-item menu-item-type-post_type m
enu-...
```

```
<nav id="primary-navigation" class="site-navigation primary-navigation" role="presentation"> <button class="menu-toggle dl-trigger " role="button">Primary Menu<span cla
ss="menu-line-1" aria-hidden="true" data-acsb-force-hidden="true" ></span><sp...
```

```
<ul class="small-body" style="text-align: center;" data-acsb-menu="ul" ><li data-acsb-menu="li" data-acsb-menu-root="true"><a style="color: #99a9b5;" href="#" data-acsb-b-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ...
```

7	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
8	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
9	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
10	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
11	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-

12	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	6	1	86%
----	--	-----	---	---	-----

Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

Code snapshots of some failed elements

```

```

13	Background images that are not just for decoration purposes and should	No	0	0	-
----	--	----	---	---	---

have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.

14	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	143	0	100%
----	---	-----	-----	---	------

Code snapshots of some successful elements

```
<svg id="INDmenu-btn-moveArrow" version="1.2" baseProfile="tiny" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" width="52px" height="52px" viewBox="0 0 52 52" xml:space="preserve" aria-hidden="true" data-acs...
```

```
<svg version="1.2" baseProfile="tiny" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 11.299 14.886" xml:space="preserve" aria-hidden="true" data-acsb-force-hidden="true" > <path fill="#010101" d="M0 0 L11.299 14.886 L0 14.886 L0 0 Z" /> </svg>
```

```
<i class="socials-item-icon facebook " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="socials-item-icon instagram " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="menu-line-1" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="menu-line-2" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="menu-line-3" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<i class="default" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="socials-item-icon facebook" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="socials-item-icon twitter" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

15	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<figure class="wpb_wrapper vc_figure" role="none"><div class="vc_single_image-wrapper vc_box_border_grey">Main - Carriage House Resort</title>
```

19	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<html dir="ltr" lang="en-US" prefix="og: https://ogp.me/ns#" xmlns:og="http://ogp.me/ns#" xmlns:fb="http://ogp.me/ns/fb#" id="acsb-light-contrast" class="acsb-light-contrast"><!--<![endif]--><head><base href="http://m.carriagehouserestort.com"><meta n...
```

20	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

21	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<div class="wpb_wrapper thegem-custom-6269f17a5c5725962" data-acsb-main="true
```

```
" role="main"><div style="font-size: 120px;color: #c0f0f0;line-height: 110px;text-align: left;font-family:Damion;font-weight:400;font-style:normal" class="vc_custom_heading ...
```

```
<footer class="custom-footer" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"><div class="container"><div class="vc_row-full-width-before" aria-hidden="true" ></div><div id="vc_row-6269f17a69ea0" data-vc-full-width="true" data-vc...
```

22	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<h1 data-=""true" " aria-label=" Main - Carriage House Resort " aria-hidden="false" > Main - Carriage House Resort </h1>
```

23	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	4	0	100%
----	---	-----	---	---	------

24	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	2	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```
<div class="title-xlarge" role="heading" aria-level="2"><span style="color: #ffffff;" >THE CARRIAGE HOUSE RESORT</span></div>
```

```
<span style="color: #ffffff;" >THE CARRIAGE HOUSE RESORT</span>
```


25	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
26	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	3	0	100%

Code snapshots of some successful elements

```
<input type="date" name="check-in-date" value="2019-03-25" class="wpcf7-form-control wpcf7-date wpcf7-validates-as-required wpcf7-validates-as-date date-format" aria-required="true" aria-invalid="false" aria-hidden="false" data-acsb-validation-uui...
```

```
<input type="date" name="check-out-date" value="2019-03-27" class="wpcf7-form-control wpcf7-date wpcf7-validates-as-required wpcf7-validates-as-date date-format" aria-required="true" aria-invalid="false" aria-hidden="false" data-acsb-validation-uu...
```

```
<select name="guest" class="wpcf7-form-control wpcf7-select wpcf7-validates-as-required gem-combobox " aria-required="true" aria-invalid="false" aria-hidden="false" type="select-one" data-acsb-validation-uuid="ay95tom6pvqc" data-acsb-field-visible...
```

27	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
28	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
29	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-

30	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	Pass	-	100%
----	---	-----	------	---	------

Code snapshots of some successful elements

```
<div role="dialog" aria-modal="true" aria-labelledby="INDpopupHead" ><div id="INDp
opupHead" role="heading" aria-level="2" >Popup heading</div><div id="INDContent"
class="INDpopupContent" ></div><button id="INDCloseBtn" class="INDpopupConfirm
" ta...
```

31	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	2	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<form action="/#wpcf7-f270-p2-o2" method="post" class="wpcf7-form init gem-contac
t-form-white" data-status="init" data-acsb-form-uuid="a62lo1b8ie2n" data-acsb-form-ty
pe="standard"><div style="display: none;" aria-hidden="true" > <input type="hidden"
...

```

```
<form method="post" action="http://m.carriagehouserestort.com/wp-admin/admin-post.
php" data-acsb-form-uuid="ax6u7tkwqd7" data-acsb-form-type="standard"> <input ty
pe="hidden" name="action" value="thegem_gdpr_update_privacy_preferences" aria-hi
dden="tru...
```

32	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

33	Carousels should include an "aria-label" attribute that equals to	No	0	0	-
----	---	----	---	---	---

"carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

34	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	2	-
----	---	----	---	---	---

Code snapshots of some failed elements

```
<a href="#" class="prev " tabindex="-1" > <i class="default" aria-hidden="true" data-acsb-force-hidden="true" ></i> </a>
```

```
<a href="#" class="next " tabindex="-1" > <i class="default" aria-hidden="true" data-acsb-force-hidden="true" ></i> </a>
```

35	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	--	----	---	---	---

36	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
----	---	----	---	---	---

37	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	14	0	100%
----	---	-----	----	---	------

Code snapshots of some successful elements

```
<button id="INDmenu-btn" aria-expanded="false" accesskey="m" data-drag-content="Explore your accessibility options" class="INDsemicircle-btn " data-inddrag="true" style="top: 80%; --indscale: 0.8; --indmaincolor: #1876c9;" data-acsb-hover="true...
```

```
<button class="menu-toggle dl-trigger " role="button">Primary Menu<span class="menu-line-1" aria-hidden="true" data-acsb-force-hidden="true"></span><span class="menu-line-2" aria-hidden="true" data-acsb-force-hidden="true"></span><span class="m..
```

```
<a class="gem-button gem-button-size-medium gem-button-style-outline gem-button-text-weight-normal gem-button-border-3 " data-ll-effect="drop-right-without-wrap" style="border-radius: 3px;border-color: #ffffff;color: #ffffff;" onmouseleave="this.sty...
```

```
<input class="gem-button gem-button-size-medium gem-button-style-flat gem-button-text-weight-normal wpcf7-form-control wpcf7-submit gem-button-wpcf-custom " data-ll-effect="drop-right-without-wrap" style="border-radius: 0px;background-color: #2bb1b6;...
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" class="" ">Support</a>
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Contact Us</a>
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Disclaimer</a>
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Privacy Policy</a>
```

```
<a href="#" class="trp-floater-ls-disabled-language trp-ls-disabled-language " onclick="event.preventDefault()" role="button"> Primary Menu<span class="menu-line-1" aria-hidden="true" data-acsb-force-hidden="true"></span><span class="menu-line-2" aria-hidden="true" data-acsb-force-hidden="true"></span><span class="m..
```

```
<a class="gem-button gem-button-size-medium gem-button-style-outline gem-button-text-weight-normal gem-button-border-3 " data-ll-effect="drop-right-without-wrap" style="border-radius: 3px;border-color: #ffffff;color: #ffffff;" onmouseleave="this.sty...
```

```
<input class="gem-button gem-button-size-medium gem-button-style-flat gem-button-text-weight-normal wpcf7-form-control wpcf7-submit gem-button-wpcf-custom " data-ll-effect="drop-right-without-wrap" style="border-radius: 0px;background-color: #2bb1b6;...
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" class="" ">Support</a>
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Contact Us</a>
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Disclaimer</a>
```

```
<a style="color: #99a9b5;" href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Privacy Policy</a>
```

```
<a href="#" class="trp-floater-ls-disabled-language trp-ls-disabled-language " onclick="event.preventDefault()" role="button"> <span data-="true" " aria-label=" Click to Call " aria-hidden="false" >Click to Call</span>1-800-303-6009 </a>
```

```
<a href="/cdn-cgi/l/email-protection#f280978197808493869b9d9c81b2919380809b9395979a9d8781978097819d8086dc919d9f" ><span class="_cf_email_" data-cfemail="81f3e4f2e4f3f7e0f5e8eeeff2c1e2e0f3f3e8e0e6e4e9eef4f2e4f3e4f2eef3f5afe2eeec">[email&nbsp;prot...
```

```
<a href="http://m.carriagehouserestort.com/contact/" data-acsb-menu="a" data-acsb-menu-root-link="true" ><span data-="true" " aria-label=" contact " aria-hidden="false" >contact</span>Send Message</a>
```

```
<a href="http://m.carriagehouserestort.com/rooms-list/" data-acsb-menu="a" data-acsb-menu-root-link="true" ><span data-="true" " aria-label=" account " aria-hidden="false" >account</span>Most Popular Rooms</a>
```

```
<a class="gem-button gem-button-size-tiny gem-button-style-flat gem-button-text-weight-normal gem-button-no-uppercase " data-ll-effect="drop-right-without-wrap" style="border-radius: 3px;" onmouseleave="" onmouseenter="" href="https://m.carriagehouse...
```

```
<a href="http://m.carriagehouserestort.com/" rel="home" > <span data-="true" " aria-label=" account " aria-hidden="false" >account</span><span class="logo "><span data-="true" " aria-label=" account " aria-hidden="false" >account</span>Homepage</a>
```

```
<a href="http://m.carriagehouserestort.com/rooms-list/" data-acsb-menu="a" data-acsb-menu-root-link="true" ><span data-="true" " aria-label=" account " aria-hidden="false" >account</span>Our Rooms</a>
```

```
<a href="http://m.carriagehouserestort.com/gallery/" data-acsb-menu="a" data-acsb-menu-root-link="true" ><span data-="true" " aria-label=" account " aria-hidden="false" >a ccount</span>Gallery</a>
```

```
<a href="http://m.carriagehouserestort.com/about-us/" data-acsb-menu="a" data-acsb-menu-root-link="true" ><span data-="true" " aria-label=" account " aria-hidden="false" >account</span>About Us</a>
```

40	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	No	0	0	-
41	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
42	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
43	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
44	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
45	Elements that are hidden using CSS manipulations (opacity, height, text-	No	0	0	-

indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.

46	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
47	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
48	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
49	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	84	0	100%

Code snapshots of some successful elements

```
<div class="gem-contacts-item gem-contacts-address ">Deerfield Beach Florida</div>
```

```
<span class="__cf_email__" data-cfemail="81f3e4f2e4f3f7e0f5e8eeeff2c1e2e0f3f3e8e0e6e4e9eef4f2e4f3e4f2eef3f5afe2eeec">[email&nbsp;protected]</span>
```

```
<button class="menu-toggle dl-trigger " role="button">Primary Menu<span class="menu-line-1" aria-hidden="true" data-acsb-force-hidden="true" ></span><span class="menu-line-2" aria-hidden="true" data-acsb-force-hidden="true" ></span><span class=...
```



```
<div style="font-size: 120px;color: #c0f0f0;line-height: 110px;text-align: left;font-family: Damion;font-weight:400;font-style:normal" class="vc_custom_heading vc_custom_1649898359779 " role="heading" aria-level="2">It's an experience</div>
```

```
<span class="light " style="color: #ffffff;">COME TO VISIT US AT</span>
```

```
<span style="color: #ffffff;" >THE CARRIAGE HOUSE RESORT</span>
```

```
<a class="gem-button gem-button-size-medium gem-button-style-outline gem-button-text-weight-normal gem-button-border-3 " data-ll-effect="drop-right-without-wrap" style="border-radius: 3px;border-color: #ffffff;color: #ffffff;" onmouseleave="this.sty...
```

```
<label class="title-h6 light ">check-in</label>
```

```
<label class="title-h6 light ">check-out</label>
```

```
<label class="title-h6 light ">guest</label>
```